

## NAME INDEX

- Achen, C. H., 100, 113, 127, 130-31, 134, 144  
 Agresti, A., 282, 317  
 Aitchison, J., 280, 317  
 Aitkin, M., 283, 317  
 Akaike, H., 364, 378  
 Alba, R. D., 29*n*, 32  
 Allison, P. D., 124, 142, 144, 145  
 Alwin, D. F., 63, 84, 86, 87, 89, 90, 91, 92, 92*n*, 94, 96, 97, 99, 100, 100*n*, 101, 102, 103, 103*n*, 104, 105, 112, 113, 116, 117  
 Amemiya, Y., 266, 276, 322, 344, 378  
 Anderson, D., 283, 317  
 Anderson, J. G., 1, 32  
 Anderson, T. W., 124, 125*n*, 144, 255, 266, 276, 322, 344, 378  
 Andrews, F. M., 87, 90-91, 92, 113  
 Andrich, D., 101*n*, 113  
 Anselin, L., 222, 223, 236*n*, 236-38, 237*n*, 240, 242, 244, 245, 246  
 Arabie, P., 4, 16, 32  
 Arminger, G., 125, 146, 250, 252, 253, 261, 264, 276  
 Asher, H. B., 126, 145  
 Bainbridge, W. S., 239, 246  
 Barb, K. H., 87, 114  
 Barker, K., 37*n*  
 Bartholomew, D. J., 90, 114  
 Basmann, R. L., 230, 247  
 Baughman, J. L., 37*n*  
 Beach, L. R., 42, 42*n*, 43, 62, 63  
 Belson, W. A., 41, 62  
 Bendig, A. W., 87, 89, 92, 114  
 Benesh, C., 37*n*  
 Benson, P. H., 84, 114  
 Bentler, P. M., 99*n*, 104, 105, 110*n*, 114, 250, 252, 253, 254, 255, 258, 259, 266, 267, 271, 276, 277, 278  
 Berent, M. K., 105*n*, 116  
 Birkett, N. J., 90, 114  
 Bishop, G. F., 39, 62  
 Bishop, Y. M. M., 148, 177, 306, 317  
 Blackman, R. B., 343, 379  
 Blau, J. R., 238, 247  
 Block, J., 92, 114  
 Bock, R. D., 282, 301, 302, 304, 305, 306, 317  
 Bollen, K. A., 87, 114, 221*n*, 250, 276, 322, 379  
 Boorman, S., 2, 4, 16, 32, 35  
 Borgatti, S. P., 4, 4*n*, 13*n*, 17, 28*n*, 32, 33  
 Borjas, G., 188, 219  
 Bourdon, R. D., 92, 116  
 Boyd, J. P., 32, 33  
 Bradburn, N. M., 41, 44, 56*n*, 62, 65, 85*n*, 114  
 Brady, M. L., 37*n*  
 Brandt, D., 120*n*, 146  
 Breault, K. D., 238, 247  
 Breiger, R. L., 1, 2, 4, 16, 32, 35, 147*n*, 171, 177  
 Breland, H. M., Jr., 146  
 Brenner, M., 40, 62  
 Breusch, T. S., 154, 156, 161, 177  
 Briggs, C. L., 40, 62

- Brody, C. J., 149, 177  
 Brown, J., 40, 44, 45, 62  
 Browne, M. W., 84, 104, 114, 250,  
 251, 255, 256, 258, 261, 262, 265,  
 266, 267, 277  
 Brym, R. J., 2, 32  
 Buettner, D., 37*n*  
 Burns, J. A., 39, 63  
 Burt, R. S., 1, 2, 3, 6, 6*n*, 8*n*, 9, 9*n*,  
 14, 16, 17, 20, 21, 27, 28*n*, 32, 33
- Caldeira, G. A., 20, 32  
 Camburn, D., 63  
 Cameron, C. A., 184, 188, 217*n*, 218  
 Campbell, A., 95, 96, 114, 138, 145  
 Campbell, R., 83*n*  
 Cannell, C., 41, 65  
 Canter, D., 40, 45, 62  
 Carayon, P., 37*n*  
 Carley, K., 60, 62  
 Carman, M., 37*n*  
 Carmines, E. G., 100*n*, 115  
 Carroll, G. R., 209*n*, 218  
 Chamberlain, G., 250, 277  
 Champney, H., 89, 114  
 Chiang, C. L., 252, 277  
 Christiano, K. J., 239, 247  
 Christoffersson, A., 330, 345, 379,  
 380  
 Cicourel, A. V., 40, 62  
 Clive, J., 322, 323, 337, 338, 379, 381  
 Clogg, C. C., 148, 149, 149*n*, 161,  
 162-71, 177, 178, 279, 280, 288,  
 289, 291, 305, 316, 317, 318  
 Coleman, G. A., 27  
 Coleman, J. S., 32, 180, 182, 188,  
 188*n*, 218  
 Converse, J. M., 39, 40, 63, 114  
 Converse, P. E., 63, 85*n*, 95, 114, 145  
 Cook, K. S., 1, 23-26, 32, 33  
 Cook, S. W., 89, 115  
 Coombs, C. H., 39, 63, 87, 115  
 Coombs, L. C., 39, 63  
 Couch, A., 121, 137, 140, 145  
 Cox, D. R., 149, 150, 154*n*, 155, 156,  
 160, 177, 180*n*, 182, 183, 186, 191,  
 192, 193, 209, 218, 262, 277  
 Cox, E. P., 86, 90, 91, 115  
 Cramér, H., 129, 145, 157, 160, 177
- Cronbach, L. J., 91, 100*n*, 112, 115  
 Cuzzort, R. P., 226, 247
- Danis, C., 85*n*, 114  
 Davidson, A. R., 41, 42, 42*n*, 43, 63  
 Davidson, J., 323, 379  
 Davidson, R., 149, 152-53, 166*n*,  
 166-67, 173, 177  
 Deane, G., 238, 247  
 Deaton, A. S., 149, 178  
 de Jong, W., 317, 320  
 Delacroix, J., 209*n*, 218  
 de Leeuw, J., 125*n*, 146, 280, 283, 289,  
 292, 293, 295, 296, 298, 318, 320  
 DeMaio, T., 40, 41, 63  
 Dempster, A. P., 294, 318, 323, 379  
 de Pijper, M., 380  
 Deutsch, M., 89, 115  
 Dielman, L., 83*n*  
 Dijkstra, T., 250, 276  
 Dillon, W. R., 354, 379  
 DiMaggio, P., 9, 20, 22-23, 27, 33  
 Dobson, D., 125*n*, 145  
 Doreian, P., 27, 32, 222, 223, 224,  
 225, 226, 228, 228*n*, 230*n*, 242,  
 242*n*, 245, 246, 247  
 Dryman, A., 379  
 Du Bois, B., 39, 63  
 Duke, J. B., 226*n*, 245, 247  
 Duncan, B. A., 226, 247  
 Duncan, O. D., 39, 40, 63, 148, 149,  
 177, 226, 227, 247
- Eaton, W. W., 346, 379  
 Edwards, A. L., 39, 54*n*, 63  
 Elder, G. H., Jr., 180, 218  
 Eliason, S. R., 158*n*, 163*n*, 177  
 Emerson, R. M., 24, 25, 26*n*, 32, 33  
 Emmons, C., 64  
 Epstein, D., 120*n*, 145  
 Erickson, B. H., 2, 27, 33  
 Erikson, R. S., 100, 115, 126, 145  
 Evan, W. M., 20, 33  
 Everett, M. G., 4, 4*n*, 13*n*, 17, 19,  
 28*n*, 32, 33  
 Everitt, B. S., 283, 318, 336, 337,  
 346, 347, 379
- Faulkenberry, G. D., 39, 54*n*, 63  
 Faust, K., 1*n*, 3, 17, 33

- Feldman, S., 120, 146  
Ferguson, L. W., 89, 115  
Ferguson, T., 252, 277  
Fernandes, C., 216, 219  
Fienberg, S. E., 148, 177, 302, 306, 317, 318  
Fink, E., 87, 118  
Finke, R., 238, 247  
Finn, R. H., 92, 115  
Fiske, M., 40, 64  
Formann, A. K., 294, 301, 318  
Foster, B. L., 29*n*, 34  
Fowler, F. J., 47, 63  
Freedman, D., 61, 63  
Freeman, J., 180, 181, 208–209, 209*n*, 218–19  
Freeman, L. C., 1*n*, 8, 14, 33  
Friedkin, N. E., 1, 1*n*, 3, 9, 27, 28, 33, 221*n*  
Fuller, W. A., 250, 262, 277  
  
Galaskiewicz, J., 2, 20–21, 33  
Garner, W. R., 86, 87, 115  
Garson, A., 322, 381  
Gibbs, J. P., 239, 247  
Giller, E. L., 379  
Gillmore, M. R., 33  
Gilula, Z., 280, 289, 297, 318  
Glaser, B. G., 41, 63  
Glass, D. V., 148, 162, 177  
Godfrey, L. G., 154*n*, 161, 170*n*, 173, 177  
Goldberg, L. R., 39, 63  
Goldstein, M., 354, 379  
Good, I. J., 170*n*, 178, 289, 319  
Goodman, L. A., 149, 163, 178, 280, 289, 292, 294, 296, 297, 302, 304, 305, 318, 319  
Gourieroux, C., 185, 218  
Graham, W. K., 86, 89, 90, 116  
Grandy, J., 146  
Granovetter, M., 239, 247  
Green, D. P., 121, 126, 128*n*, 138, 138*n*, 140, 145  
Green, P. E., 84, 115  
Green, S. B., 90, 116  
Greene, V. L., 100*n*, 115  
Greene, W. H., 185, 191, 218  
Greenwood, M., 190, 218  
Grego, J., 149 *n*, 178  
  
Griliches, Z., 180*n*, 219  
Groat, L., 45, 62  
Grover, R., 289, 319  
Groves, R. M., 44, 63  
Gupta, M. M., 327, 379  
  
Haberman, S. J., 158*n*, 178, 280, 282, 289, 294, 296, 301, 302, 316, 318, 319  
Hagenaars, J. A., 289, 316, 317, 319  
Hake, H. W., 87, 115  
Halaby, C., 147*n*  
Hall, B. H., 180*n*, 219  
Hannan, M. T., 147*n*, 179, 180, 181, 184*n*, 205, 208, 208*n*, 209, 209*n*, 214*n*, 218–19, 220  
Hansen, L. P., 250, 277  
Harary, F., 7, 14, 33  
Hargens, L. L., 124, 145  
Hargis, P. G., 238, 247  
Hartman, R. L., 9, 27, 33  
Harvey, A. C., 216, 219  
Hatch, L. R., 239, 246  
Hauser, R. M., 142, 144  
Hausman, J., 180*n*, 188, 219  
Heckman, J., 188, 219  
Heise, D. R., 84, 100, 103, 115, 120, 145  
Henry, N. W., 332, 379  
Heudin, H., 286, 319  
Heuer, J., 283, 319  
Heyns, B., 130, 145  
Hinde, J., 283, 317  
Hinkley, D. V., 154, 154*n*, 155, 156, 160, 177, 262, 277  
Hippler, H., 85, 115  
Hocker, W. T., 64  
Hodge, R. W., 100, 118  
Hofacker, C., 102*n*, 117  
Hofstadter, D. R., 3, 33  
Holden, R. T., 181, 188*n*, 219  
Holland, P. W., 148, 177, 306, 317  
Holmes, D. J., 351, 380  
Holt, D., 260, 278  
Horan, P. M., 238, 247  
Hughes, J. B., 87, 114  
Hulbert, J., 84, 116  
Hummell, H., 4, 33  
Hummon, N. P., 228, 228*n*, 247

- Isham, V., 183, 186, 191, 192, 193, 218
- Jabine, T. B., 41, 63, 85, 115
- Jaccard, J. J., 41, 63
- Jackson, D. J., 101, 113
- Jacoby, J., 84, 89, 115, 116
- Jagodzinski, W., 122, 127, 145
- Jahoda, M., 89, 115
- Jay, S. J., 1, 32
- Jenkins, G. D., Jr., 90, 115
- Jennrich, R. I., 262, 277
- Jensen, E., 42, 64
- Johnson, J. D., 9, 27, 33
- Johnson, N. L., 189*n*, 219
- Johnston, J., 229, 230, 231, 232, 247, 322, 379
- Jordan, B., 40, 65
- Jöreskog, K. G., 84, 100, 100*n*, 101, 102, 103*n*, 104, 105, 107*n*, 115–16, 118, 120, 121, 124*n*, 125, 128*n*, 145, 146, 250, 251, 252, 254, 262, 277, 322, 330, 344, 379
- Jorgensen, B., 157, 178
- Joseph, J. G., 41, 64
- Junger, M., 308, 320
- Kadushin, C., 2, 33
- Kalton, G. J., 41, 65, 100, 117
- Kane, E., 50*n*, 64
- Kaplan, D., 101, 117, 252, 261, 278
- Kaplan, K. J., 39, 64
- Katz, E., 27, 32
- Kaufmann, A., 327, 379
- Kendall, P. L., 41, 64
- Keniston, K., 121, 137, 140, 145
- Kerkhof, A., 279*n*
- Kessler, R. C., 64
- Kick, E. L., 1, 34
- Kiefer, J., 379
- Kiesler, S., 42, 65
- King, G., 180*n*, 184*n*, 185, 187, 191, 219
- Klopfer, F. J., 39, 64
- Knoke, D., 14, 33
- Komorita, S. S., 86, 89, 90, 116
- Kotz, S., 189*n*, 219
- Krackhardt, D., 2, 33
- Krieger, A. M., 297, 318
- Krippendorff, K., 8, 34
- Krohn, K. R., 2, 20–21, 33
- Krosnick, J. A., 85, 86, 87, 91, 92, 94, 97, 99, 100, 104, 105*n*, 112, 113, 116, 126, 145
- Kuhn, H. W., 338, 379
- Kühnel, S. M., 122, 127, 145
- Kullback, S., 329, 379
- Laird, N. M., 294, 318
- Land, K. C., 238, 247
- Langeheine, R., 296, 301, 317, 320
- Lawley, D. N., 329, 344, 379
- Lazarsfeld, P. F., 332, 379
- Leavitt, H. J., 2, 34
- Lee, L., 217, 219
- Lee, S. Y., 262, 277
- Lehmann, D. R., 84, 116
- Lewis, P. A. W., 182, 209, 218
- Liang, K. Y., 180*n*, 219, 380
- Liebertson, S., 239, 247
- Liebler, R. A., 329, 379
- Likert, R., 84, 89, 116, 117
- Lindsay, B., 149 *n*, 178
- Linn, R. L., 100, 103*n*, 118, 120, 121, 146
- Linton, R., 17, 34
- Lipster, R., 326, 380
- Lissitz, R. W., 90, 116
- Lofland, J., 45, 46*n*, 64
- Lofland, L. H., 45, 46*n*, 64
- Lord, F. M., 89, 100, 101, 103, 116
- Lorrain, F. P., 3, 3*n*, 5, 6, 6*n*, 8, 17, 34
- Luce, R. D., 9, 29*n*, 34
- Ludwig, J., 65
- Luijckx, R., 289, 316, 319, 320
- MacKinnon, J. G., 149, 152–53, 166–67, 168*n*, 172, 173, 177, 178
- Madansky, A., 336, 380
- Madden, J. M., 92, 116
- Madden, T. M., 39, 64
- Magnus, J., 256, 277
- Makov, U. E., 162, 178
- Malinvaud, E., 250, 277, 322, 380
- Mandel, M. J., 4, 17, 35
- Mangione, T., 47, 63
- Manning, W., 37*n*
- Manski, C., 250, 277

- Manton, K. G., 323, 337, 341, 343,  
 362, 380, 381  
 Marini, M. M., 338, 380  
 Markovsky, B., 1, 14, 23-26, 34  
 Markus, G. B., 95, 97, 114, 116, 126,  
 145  
 Marsden, P. V., 1*n*, 37*n*, 147*n*, 148,  
 149, 162-71, 178, 179, 221*n*, 231*n*,  
 245*n*, 249*n*, 279*n*, 289, 320  
 Marshall, H., 89, 114  
 Martin, E., 85, 118  
 Martin, W. T., 239, 247  
 Mason, R., 39, 54*n*, 63  
 Matell, M. S., 84, 89, 115, 116  
 Maxwell, A. E., 329, 344, 379  
 Maynard, D., 37*n*  
 McAleer, M., 153, 169, 178  
 McArdle, J. J., 120*n*, 145  
 McClelland, G. H., 41, 64  
 McClendon, M. J., 113, 117  
 McCormick, E. J., 92, 117  
 McCullagh, P., 181, 185, 190, 195,  
 196, 211, 219  
 McCutcheon, A. L., 298, 320, 379  
 McKennell, A. C., 40, 64, 84, 117  
 McPherson, M., 179  
 Meeter, D. A., 125*n*, 145  
 Menzel, H., 27, 32  
 Meredith, W., 251, 262, 277  
 Merton, R. K., 17, 19, 34, 40, 64  
 Messick, S., 92, 117  
 Mierzwa, F., 83*n*  
 Miller, A. H., 85, 96, 97*n*, 117, 118  
 Miller, G. A., 86, 117  
 Miller, W. E., 87-88, 88*n*, 96, 114,  
 117, 145  
 Mishler, E. G., 40, 44, 64  
 Mokken, R. J., 14, 29*n*, 34  
 Monfort, A., 185, 218  
 Montgomery, A., 222, 223, 225, 226,  
 227, 228, 248  
 Mooijart, A., 266, 277, 280, 300,  
 305, 320  
 Moore, D. S., 277  
 Moran, P. A. P., 162*n*, 178  
 Morgan, D. L., 41, 64  
 Morgan, S. P., 42, 64  
 Morton-Williams, J., 40, 41, 64  
 Moser, C. A., 100, 117  
 Mostyn, B., 45, 65  
 Mulder, J., 380  
 Murphy, G., 89, 117  
 Muthén, B. O., 83*n*, 84, 101, 102*n*,  
 104, 105, 107*n*, 117, 249*n*, 250,  
 251, 252, 261, 278, 322, 330, 331,  
 380  
 Nadel, S. F., 17, 19, 34  
 Nebergall, R. E., 88, 118  
 Nee, V., 147*n*  
 Nelder, J. A., 157, 159, 178, 181, 185,  
 190, 195, 196, 211, 219  
 Nemeth, R., 1, 34  
 Neudecker, H., 254, 256, 257*n*, 277,  
 278  
 Newey, W. K., 250, 256, 262, 278  
 Novick, M. R., 89, 100, 101, 116  
 Oakes, D., 193, 219  
 O'Brien, K., 64  
 O'Brien, R., 87, 117  
 Oksenberg, L., 41, 60, 65  
 Oldendick, R. W., 39, 62  
 Ollé, M., 249*n*  
 Olzak, S., 179, 181, 219  
 O'Muircheartaigh, C. A., 44, 65  
 Orchard, T., 338, 380  
 Ord, K., 222, 223, 224, 225, 228, 229,  
 248  
 Osgood, C. E., 84, 117  
 Pagan, A. R., 154, 156, 161, 177  
 Palmquist, B., 126, 128*n*, 138*n*, 145  
 Patterson, T. E., 119, 137, 138, 141,  
 144, 146  
 Pattison, P. E., 4, 32, 34  
 Patton, T., 1, 14, 34  
 Peabody, D., 84, 117  
 Pearson, M., 279*n*  
 Perry, A. D., 29*n*, 34  
 Pesaran, M. H., 149, 150, 151-52,  
 153*n*, 170*n*, 173, 177, 178  
 Peters, D. L., 92, 117  
 Peterson, B. L., 91, 118  
 Pitts, F. R., 2, 34  
 Porter, L. W., 2, 33  
 Presser, S., 39, 40, 56*n*, 59, 61, 63,  
 65, 93, 94, 118  
 Quandt, R. E., 153, 178

- Raden, D., 43, 61, 65  
 Raftery, A. E., 163, 171, 178  
 Rao, C. R., 129, 146, 154, 154*n*, 155, 178  
 Rao, V. R., 84, 115  
 Ray, R., 37*n*  
 Read, E., 37*n*  
 Reitz, K. P., 4, 35  
 Reskin, B. F., 124, 145  
 Rindskopf, D., 132, 146  
 Robinson, J., 227, 248  
 Rock, D. R., 146  
 Rodgers, W., 83*n*  
 Rogers, E. M., 1, 34  
 Rogosa, D., 120*n*, 146  
 Romney, A. K., 45, 65  
 Roncek, D. W., 222, 223, 225, 226, 227, 228, 248  
 Rosen, H. S., 153, 178  
 Ross, S. M., 197*n*, 198*n*, 219  
 Rubin, D. B., 294, 318  
 Ryder, N. B., 42, 65  
  
 Sailer, L. D., 17, 31, 34  
 Sansone, J., 83*n*  
 Saris, W. E., 88, 92, 97, 117, 380  
 Satorra, A., 251, 253, 253*n*, 254, 255, 256, 256*n*, 258, 262, 263, 267, 271, 278  
 Satterthwaite, F. E., 259, 278  
 Sawyer, K. R., 172, 178  
 Schaefer, C., 64  
 Schaeffer, N. C., 42*n*, 53*n*, 60, 65  
 Schneider, E. J., 96, 117  
 Schoenberg, R. J., 125, 146, 250, 252, 253, 261, 264, 276, 278  
 Schoepfle, M., 40, 65  
 Schuessler, K. F., 90, 114  
 Schuman, H., 39, 40, 50*n*, 56*n*, 59, 61, 64, 65, 85*n*, 93, 94, 114, 118  
 Schwarz, N., 85, 115  
 Scott, D. W., 324, 380  
 Seidman, S. B., 29*n*, 34  
 Self, S. G., 380  
 Serfling, R. J., 129, 146  
 Shah, B. V., 338, 380  
 Shanks, J. M., 119  
 Shannon, C., 87, 118  
 Shapiro, A., 250, 255, 256, 262, 266, 277, 278  
  
 Sherif, C. W., 88, 118  
 Sherif, M., 88, 118  
 Sherry, S., 83*n*  
 Shigemasa, K., 301, 320  
 Shirey, P. R., 28*n*, 32  
 Shiryayev, A., 326, 380  
 Siegel, P. M., 100, 118  
 Siegler, I. C., 322, 379  
 Silka, L., 42, 65  
 Silvey, S. D., 154, 154*n*, 155, 159, 178  
 Sime, J., 44, 62  
 Singer, B. H., 338, 358, 364, 380  
 Skinner, C. J., 260, 278, 351, 380  
 Skvoretz, J., 1*n*  
 Smith, A. F. M., 162, 178  
 Smith, D. A., 1, 34  
 Smith, T. M. F., 260, 278, 351, 380  
 Smith, T. W., 91, 94, 96, 118  
 Snyder, D., 1, 34  
 Sobel, M. E., 250, 252, 276  
 Sodeur, W., 4, 33  
 Soong, R., 239, 247  
 Sörbom, D., 104, 105, 116, 125, 145, 250, 251, 252, 254, 262, 277, 322, 330, 379  
 Sorenson, A., 379  
 Spilerman, S., 180, 219  
 Spradley, J. P., 40, 44, 65  
 Srinivasan, V., 289, 319  
 Stallard, E., 323, 380  
 Stark, R., 238, 247  
 Stenbeck, M., 39, 40, 63, 149, 177  
 Stephenson, C. B., 94, 96, 118  
 Stokes, D. E., 114, 145  
 Straf, M. L., 63, 115  
 Strauss, A., 41, 63, 65  
 Suchman, L., 40, 65  
 Suci, G. J., 84, 117  
 Sudman, S., 41, 44, 56*n*, 62, 65, 85, 115  
 Sugiyama, N., 301, 320  
 Sullivan, J. L., 120, 146  
 Sykes, W., 41, 64  
 Symonds, P. M., 89, 118  
  
 Taber, T. D., 90, 115  
 Takane, Y., 301, 320  
 Tannenbaum, P. H., 84, 117  
 Tanur, J. M., 63, 115

- Terrell, G. R., 324, 380  
 Teuter, K., 230*n*, 247  
 Theil, H., 230, 248  
 Thomson, E., 42*n*, 53*n*, 65  
 Thornton, A., 63  
 Tisak, J., 251, 262, 277  
 Titterington, D. M., 162, 178  
 Tolley, H. D., 337, 341, 343, 380, 381  
 Tourangeau, R., 63, 86, 115, 118  
 Trivedi, P. K., 184, 188, 217*n*, 218  
 Trognon, A., 185, 218  
 Tuchfarber, A. J., 39, 62  
 Tucker, A. W., 338, 379  
 Tukey, J. W., 343, 379  
 Tuma, N. B., 180, 205, 220  
 Turner, C. F., 85, 118  
  
 van de Pol, F., 125*n*, 146, 317, 320  
 van der Heijden, P. G. M., 280, 281,  
 283, 289, 298, 300, 317, 318, 320  
 Verboon, P., 280, 318  
  
 Wallerstein, I., 34  
 Wang, C., 230*n*, 247  
 Weaver, W., 87, 118  
 Wedderburn, R. W. M., 157, 159,  
 178, 181, 185, 194*n*, 219, 220  
 Weisberg, H., 85, 97*n*, 118  
 Weller, S. C., 45, 65  
 Wellman, B., 8, 9, 34  
 Werner, O., 40, 65  
 Werts, C. E., 100, 103*n*, 118, 120,  
 121, 123, 128*n*, 135*n*, 140, 142, 146  
 West, E., 179  
 Westoff, C. F., 42, 65  
 White, D. R., 2, 3, 3*n*, 4, 5, 6, 6*n*, 8,  
 16, 17, 34, 35  
 White, H., 157, 168*n*, 178, 188, 201,  
 220, 252, 278  
 White, H. C., 20, 34, 35  
 Whittaker, J., 302, 320  
 Wiley, D. E., 100, 103, 104, 118, 120,  
 122, 125, 126, 127, 135, 135*n*, 143,  
 146  
 Wiley, J. A., 100, 103, 104, 118, 119,  
 119*n*, 120, 120*n*, 121, 122, 124, 125,  
 126, 127, 128, 128*n*, 129, 130, 135,  
 135*n*, 143, 144, 146  
 Wiley, M. G., 119, 119*n*, 120, 120*n*,  
 121, 124, 126, 127, 128, 128*n*, 129,  
 130, 144, 146  
 Willer, D., 1, 14, 34  
 Williams, R. A., 42, 65  
 Wilson, T. D., 41, 66  
 Winship, C., 4, 17, 35  
 Withey, S. B., 87, 90, 113  
 Woelfel, J., 83*n*, 87, 118  
 Wolfowitz, J., 379  
 Wolter, K. M., 260, 278  
 Woodbury, M. A., 322, 323, 337, 338,  
 347, 351, 355, 379, 380, 381  
 Wortman, C. B., 64  
  
 Yamagishi, T., 33  
 Young-DeMarco, L., 63  
 Yule, G. U., 190, 218  
 Yu Xie, 83*n*, 221*n*  
  
 Zadeh, L. A., 322, 381  
 Zaller, J., 92, 118  
 Zeger, S. L., 180*n*, 181, 197, 198*n*,  
 199, 200, 204, 219, 220  
 Zimowski, M., 120*n*, 146  
 Zisook, S., 379





# SUBJECT INDEX

- abstract equivalences, 4, 8
- ACOVs program, 128*n*
- agree-disagree questions
  - attitude measured by, 97
  - correlated errors and, 121, 137–38
- algorithms
  - expectation maximization. *See* expectation maximization algorithm
  - minimum entropy, 329
  - Newton-Raphson, 155, 316, 338
- ambivalence in questionnaire responses, 38, 50–52, 55, 57
- ANOVA procedures, 107
- Anselin's alternative 2SLS estimator, 236–48
- APL program, 185, 316
- Aptech Systems, 185, 191
- arbitration distribution theory, 104
- AR(1) process, 199–200, 212–13
- artificial nesting, 152
- asymptotic distribution-free (ADF) covariance analysis methods, 251–52
- asymptotic properties
  - GQL estimator, 181, 204
  - non-nested tests, 156–57
  - two-stages least squares (2SLS) estimator, 223, 233–36
- asymptotic robust inferences in mean and covariance structures, 249–78
- asymptotically-optimal minimum distance, 260–61, 268
- based on second-order moments, 265–67
- illustration, 267–70
- linear relations models for, 253–55
- moment structure analysis, 255–59
- normal theory-minimum distance analysis, 262–65, 267, 272–73
- pseudo maximum likelihood (PML) approach, 262–63, 267, 272–73
- sample moments asymptotic variance matrix, 259–60
- attitude measurement reliability, 83–118
  - methods to test, 94–105
  - number of response categories for optimal, 84–90, 91–94
  - single survey questions and, 90–91
- autocorrelation of count data, 179, 183, 191–93
- generalized quasi-likelihood model use for, 181, 203–208
- moment estimators of parameters of, 204–205
- quasi-likelihood models and, 197–98, 213–15
- automorphic equivalence. *See* structural isomorphism
- automorphism, 12–13
- autoregressive models for trait change, 124, 125, 141
- autoregressive processes
  - first order (AR[1]), 199–200, 212–13
  - point processes, 193

- band-diagonal matrix, 199*n*  
 Bayesian model-selection criteria. *See*  
   BIC statistic  
 BIC statistic, 163–64, 171–73  
 bipolar rating scales, 84  
 British mobility table. *See* Glass mo-  
   bility test, comparison
- categoric data and statistical estima-  
   tion, 104–105  
 CDAS program, 163*n*  
 Chapman-Kolmogorov equations, 326  
 chi-square goodness-of-fit statistic,  
   252, 257–59, 263–64, 268, 271–  
   72  
 classical test procedure, 165, 171–72  
 classical test theory, 101, 120  
 closed-form expressions, 125, 126,  
   128, 132  
 collinearity, 148  
 computer limitations on large matri-  
   ces, 240  
 computer programs. *See also* names  
   of specific programs  
   covariance structure analysis, 262  
   latent budget analysis, 316–17  
   Newton-Raphson algorithm, 316,  
   338  
   Poisson regression, 185  
   sample size and, 225, 226*n*, 237  
   two-stage least squares, 231  
 congenetic measurement, 101  
 constrained latent budget model  
   fixed-value and equality con-  
   straints, 296–300  
   multinomial logit parameter con-  
   straints, 300–15  
 contagion  
   as source of autocorrelation, 192–  
   93  
   as source of overdispersion, 187–88  
 contingency tables, analysis of BIC  
   in, 171  
   non-nested models for. *See* non-  
   nested hypothesis tests  
   two-way tables. *See* constrained la-  
   tent budget model  
 continuous variables, 324  
 correlated measurement errors (CE)  
   model, 119–46  
   LISREL control statements for, 143  
   random error model compared to,  
   120–26  
   sample covariance matrices, 143–44  
   sensitivity of estimates, 126–35  
   correlations over-time, 121  
 count data analysis, 179–220  
   autocorrelation in, 191–93  
   Monte Carlo simulations for, 201–  
   208  
   non-nested tests for, 156–62  
   overdispersion in, 186–91  
   Poisson process and, 182–83  
   Poisson regression in, 183–86  
   quasi-likelihood estimation, 193–  
   201  
 COUNT program, 185, 191  
 covariance matrix  
   attitude stability estimation by, 120  
   to estimate correlated errors mod-  
   els, 128  
   standard equations and, 322  
 covariance structure analysis. *See*  
   asymptotic robust inferences in  
   mean and covariance structures
- degrees of freedom  
   exhaustion of, 148  
   latent budget analysis, 305  
   non-nested tests use of, 169–70  
 delta method, 129  
 direction of attitudes, 92–94, 110,  
   111–12  
 discrete response factor analysis, 322,  
   330–32, 345–46  
 “don’t know” responses to standard-  
   ized questions, 38, 39, 56, 59, 61,  
   112–13
- ego networks, 6, 9, 14  
 empirical underidentification, 132–  
   33  
 endogenous variables  
   in structural equations, 322, 354,  
   355  
   two-stage least squares application,  
   239  
 EQS program, 83, 106*n*, 251  
   asymptotic standard errors in, 252  
   restriction of means by, 256

- Satorra-Bentler chi-square statistic  
in, 259
- Euclidean distance measure, 227
- event history analysis, 179–80
- exogenous variables  
in structural equations, 322, 354,  
355, 359–60  
two-stage least squares application,  
239, 240–42
- expectation maximization algorithm,  
294, 316–17, 337, 347
- experimental exchange networks,  
power in, 1, 23–7
- factor analysis, 322, 329–32, 344–46
- feeling thermometers, 85, 97  
correlated errors and, 121, 138
- fertility motivation questionnaire  
development, 41–82  
interview process, 43–45  
interview questions, 66–72  
reducing task uncertainty of re-  
sponses, 53–57  
respondents, 45, 73  
response analysis, 45–48  
sample questions, 78–82  
state uncertainty in responses, 48–  
53, 57–60
- filter questions, 39–40
- first-order autoregressive (AR[1]) pro-  
cess, 199–200, 212–13
- first-order moments, 259
- fuzzy classes, latent, 321, 322, 323,  
363, 364, 378
- fuzzy partition, 325, 326, 327
- gamma Poisson distribution, 189
- GAUSS program, 125, 185, 191, 200*n*
- generalized least squares ADF esti-  
mates, 83, 105, 106*n*, 107–109
- generalized population potentials,  
226–28
- generalized quasi-likelihood (GQL)  
estimator, 197–200  
Monte Carlo simulations, 201–208
- general quasi-linear estimator, 216–17
- General Social Survey, 83, 91, 94–96,  
98–99, 106, 107, 113
- Gibbs-Martin index, 239
- Glass mobility test, comparison, 147,  
148–49, 162–69
- GLIM program, 163*n*, 174, 175–66,  
185
- GLS-ADF estimates. *See* generalized  
least squares ADF estimates
- grade-of-membership (GOM) model,  
321–81  
discrete response factor analysis  
compared, 330–32, 345–46  
estimation for, 337–43  
example, 362–78  
latent class model compared, 332–  
37, 346–51  
maximum likelihood factor analysis  
compared, 329–30, 344–5  
parametric structure, 323–29  
structural generalizations, 351–61
- graph isomorphism, 10–13
- graph-theoretic attribute, 5, 7
- Hessian matrix, inverse, 201, 202
- heterogeneity  
individual, 321  
as source of autocorrelation, 193  
as source of overdispersion, 185–  
86, 188
- heteroskedasticity, 190–91, 201, 202–  
203
- identifiability  
grade-of-membership model, 338–  
41, 347–50  
latent budget analysis, 292–94, 305  
latent class model, 292, 347–50
- information matrix, 154–55
- information theory, 87–89, 111
- intensity of attitudes, 38, 92–94, 109–  
12
- Interactive Matrix Language, 185
- inverse Hessian matrix, 201, 202
- isomorphism, 10–11  
graph, 11–13  
structural. *See* structural  
isomorphism
- iteratively reweighted least squares  
procedure, 157
- joint membership matrix, 328–29
- just-identified model, 125, 126

- Kolmogorov-Smirnov (K-S) tests, 205-206
- Kuhn-Tucker constraints, 338
- labor unions, founding of, 179, 208-15
- lag-1 process, 102, 124, 125, 141
- Lagrange multiplier/score tests, 149, 154
  - asymptotically optimal, 161-62
  - non-nested tests as, 154-56
- Land-Deane/Anselin 2SLS estimator, 236-48
- latent budget model, 279-320
  - description, 279-81
  - fixed-value and equality parameter constraints, 296-300
  - multinomial logit parameter constraints, 300-15
  - unconstrained, 281-96
- latent class model
  - applied to Glass mobility table, 162-69
  - contingency table analysis by, 148-49
  - grade-of-membership model compared to, 322, 332-37, 346-51
  - latent budget model compared to, 288-89, 315
  - nonnested hypothesis tests for, 162
  - parameter estimates for, 157-58, 161
  - Poisson distribution for, 157
- latent fuzzy classes, 321, 322, 323, 363, 364, 378
- latent profile model, 332
- latent variables, 253-55, 330-31
- LAT program, 316
- LCAG program, 316, 317
- least squares method
  - iteratively reweighted, 157
  - ordinary least squares (OLS) models. *See* ordinary least squares (OLS) models
  - Poisson regression compared to, 185
  - two-stage least squares models. *See* two-stage least squares (2SLS) models for spatial-effects model
  - unweighted least squares (ULS), 267
- life satisfaction, measurement of, 112
- likelihood functions. *See* also maximum likelihood (ML)
  - of multivariate models, 323, 337-51
- likelihood ratio tests, 148-49, 154, 155, 161, 169
- Likert-type scale, 84, 89
- LIMDEP program, 185, 191
- LINCS program, 125
  - asymptotic standard errors in, 252
- linear models
  - quasi-likelihood estimation and, 196
  - spatial-effect models and, 221, 222
- linear negative binomial specification, 190-91
- LISCOMP program
  - for covariance structure analysis, 251, 256
  - maximum likelihood estimation by, 83, 105
  - polychoric correlations of, 107*n*, 108
  - product-moment correlation, 109
  - structural equation model, 354
- LISREL program
  - control statements for estimating CE model, 143
  - for covariance structure analysis, 256, 262
  - maximum likelihood estimation by, 83, 101, 105, 106*n*, 125, 128*n*
  - normal theory standard errors for ULS estimates, 267
  - polychoric correlations analyzed by, 107
  - product-moment correlation, 109
  - structural equation model, 321, 344, 354, 358, 360, 361, 364, 368, 375
  - vector of means and covariances in, 251
- local independence assumption, 325
- loglinear association model, 149, 158, 169
  - applied to Glass mobility table, 162-69
- loglinear crossings model, 149, 169

- applied to Glass mobility table, 162-69
- loglinear models. *See also* loglinear association model; loglinear crossings model
  - contingency table analysis by, 148, 169
  - latent class/budget models as, 289
  - Poisson distribution in, 157
- loglinear specification for Poisson regression, 184
- log quasi-likelihood function, 194-95
- Markovian (lag-1) process, 102, 124
- Markov latent class models, 317
- matrices
  - covariance. *See* covariance matrix
  - cross-products, 232
  - information, 154-55
  - large, 225-26, 240
  - sample moments asymptotic variance, 259-60
- matrix languages, 185
- maximum likelihood (ML) estimation
  - asymptotic normality of, 157
  - factor analysis, 322, 329-30, 344-45
  - latent budget analysis, 305-307
  - negative binomial regressions, 208, 210-11
  - Newton-Raphson method of, 155
  - non-nested hypothesis tests and, 159
  - Poisson regression models, 185, 208, 210-11
  - programs for, 125
  - quasi-likelihood estimation, 193-94, 196-97, 200
  - sample size limitations, 226
  - spatial-effects model, 222, 224-26, 242-44
  - theory, 104
  - unconstrained latent budget model, 294-95
- mean structure analysis. *See* asymptotic robust inferences in mean and covariance structures
- measurement error, 119, 120. *See also* correlated measurement errors (CE) model; random measurement errors (RE) model
- MIMIC model of latent budget model, 290, 291-92, 315
- minimum distance (MD) analysis, 250
  - inferential statistics in, 251
  - robust standard errors of estimates in, 252
- minimum entropy algorithm, 329
- minimum entropy estimators, 327-29
- missing information principle, 338
- mixture models, 162, 290-91, 315
- MLLSA program, 163n, 316
- ML (maximum likelihood) estimation. *See* maximum likelihood (ML) estimation
- mobility tables
  - Glass, 148-49, 162-69
  - square, 279, 280
- mobility test
  - Glass, 147
- moment structure analysis, 255-59
- Monte Carlo simulations
  - asymptotic distribution-free (ADF) covariance analysis methods, 252
  - for count data analysis, 179, 181, 191, 201-208
  - for normal theory-minimum distance analysis, 268-70
  - ordinary least squares application, 230n
- moving-average point processes, 193
- multinomial logit constraints on latent budget model parameters, 279, 300-15, 317
- multivariate regression analysis, grade-of-membership model for. *See* grade-of-membership (GOM) model
- National Election Study, 83, 95-97, 98-99, 102n, 106-108, 109-11, 113, 127
- National Institute on Aging, 321n
- National Long Term Care Surveys (1982, 1984), 321, 322, 362, 378
- negative autocorrelation, 213
- negative binomial regression
  - for count data analysis, 179, 181-82, 186
  - empirical application of, 208-11
  - Monte Carlo simulations, 201-208

- overdispersion and, 189-91, 214-15
- nested hypothesis tests, 147-49, 165.
  - See also* non-nested hypothesis tests
- network analysis, positional approach to, 3-4
- network-effects model. *See* spatial-effects model
- networks, experimental exchange, 1, 23-27
- neutrality in questionnaire responses, 49, 54-55, 56-57
  - attitude measurement reliability and, 84-85, 93
- NEWTON program, 316, 317
- Newton-Raphson algorithm, 155, 316, 338
- nonlinear regression and non-nested hypothesis tests, 159-60
- non-nested hypothesis tests, 147-78
  - applied to Glass mobility table, 162-69
  - comparison, 147-49
  - for count data, 156-62
  - other model-selection methods and, 169-73
  - performance of, 174-77
  - regression models, 149-53
  - as score tests, 154-56
- non-nested models for quasi-likelihood estimation, 211-12
- normal theory-minimum distance analysis, 250, 262-65, 267, 268, 272-73
  - inferential statistics in, 251
  - robust standard errors of estimates in, 252
- Numerical Algorithms Group, 185
- ordinary least squares (OLS) models, 222, 228-30, 242, 244
- overdispersion, 179, 183
  - count data estimators and, 203
  - deviations from Poisson process causing, 186-89
  - negative binomial model and, 189-91, 211
  - Poisson model and, 211
  - quasi-likelihood models and, 213, 214-15
  - test for, 217-18
- panel data, single-indicator multiwave models of. *See* correlated measurement errors (CE) model
- panel surveys, 94-97, 100
- PANMARK program, 317
- parameter estimation
  - consistency of, 251
  - for correlated errors models, 128, 133-34
  - for count data estimators, 201
  - factor analysis, 344-46
  - grade-of-membership model, 323, 337-43
  - latent class model, 346-51
  - negative binomial model, 190-91
  - non-nested tests, 154-55, 161-62
  - Poisson regression, 184
  - quasi-likelihood estimation, 194
- parameters, dependency of, 343
- parameters of latent budget models, 280, 281
  - fixed value and equality constraints on, 296-300
  - multinomial logit constraints, 300-15
- party loyalty, measurement of, 109-11, 138-39
- point processes, 183, 193
- Poisson process, 182-83, 186-89
- Poisson regression, 180-66
  - computer packages for, 185
  - empirical application of, 208-11
  - Monte Carlo simulations, 201-208
  - non-nested hypothesis tests and, 157, 160, 167, 179
- polychoric correlations, 104-105, 107, 108
- population potentials, 226-28
- PRELIS program, 106*n*, 107*n*, 108, 109
- programs, computer. *See* computer programs
- pseudo maximum likelihood (PML) analysis, 250, 262-33, 267, 272-73
  - inferential statistics in, 251

- robust goodness-of-fit statistic in, 268
- robust standard errors of estimates in, 252, 268
- quadratic negative binomial specification, 190-91
- quasi-likelihood (QL) estimation for count data analysis, 179, 181-82, 193-97. *See also* generalized quasi-likelihood (GQL) estimator
- auto-correlation and, 197-98
- empirical application of, 208-10, 211-15
- Monte Carlo simulations, 201-208
- simplified procedure for, 199-200
- questionnaires, standardized questions for. *See* standardized questions
- random measurement errors (RE) model, 119, 120
- application of, 139-43
- correlated errors model compared to, 120-26, 127, 134-35, 136-37
- standard errors in, 130
- Rasch models, 149
- rating-scale biases, 91-92, 112
- rating scales. *See* response categories
- recursive equations, correlated errors model defined by, 125-26
- regression estimators and spatial-effect models. *See* spatial-effects model
- reinterview surveys, 94-97, 100
- reliability of measurement of attitudes. *See* attitude measurement reliability
- defined, 89, 101
- number of response categories and, 91-92
- number of scale points and, 89-90
- of single survey questions, 90-91
- unfolding techniques and, 109-11
- respondents
- burden of multiple response categories on, 91
- stability of, 120
- response categories
- direction and intensity in, 92-94
- discrete nature of, 101-102
- "don't know." *See* "don't know" responses to standardized questions
- number of, 84-90, 91-92, 111-13
- reliability of, 89-92
- single survey questions and, 90-91
- response sets, 91-92, 112
- restricted latent class model, 162-69
- robustness, 251. *See also* asymptotic robust inferences in mean and covariance structures
- role systems theory and position, 1, 17-23
- samples
- comparing reliabilities of, 94-97
- sampling error. *See* standard errors
- SAS program, 225, 237, 244, 338
- Satorra-Bentler chi-square statistic, 259
- School and College Ability Test, 121*n*
- score functions
- grade-of-membership model, 338
- quasi-score function, 195
- score tests. *See* Lagrange multiplier/score tests
- second-order moments, 256, 259
- asymptotic robustness of inferences based on, 265-67
- seemingly unrelated regression (SUR) model, 255, 267-70
- semistructured interview
- analysis of responses, 45-47
- for questionnaire development, 41, 43-45, 60
- questions for, 66-72
- quotations from respondents, 74-78
- respondents for, 73
- uncertainty responses in, 48-53
- SEU model of fertility motivation, 42-43, 61
- simplex models, 102-103, 142, 378
- simultaneous latent class analysis, 310-12, 314-15, 317
- single-indicator multiwave models. *See* correlated measurement errors (CE) model
- software. *See* computer programs

- spatial-disturbances model, 224
- spatial-effects coefficient, 224-25
- spatial-effects model, 221-48
  - inconsistency of ordinary least squares estimation for, 228-30
  - maximum likelihood estimation, 224-26
  - population-potential variables, 226-28
  - specification, 223-24
  - two-stage least squares estimator. *See* two-stage least squares (2SLS) models for spatial effects model
- SPSS program, 225
- stability measurement, 120, 122-24, 127
- standard errors
  - asymptotic, 129, 263-64
  - calculated from inverse Hessian matrix, 201, 202
  - for correlated errors models, 119, 128
  - for count data estimators, 201-203, 206-208
  - in Poisson regression, 185
  - for random error models, 131-32
  - robust, 268, 272
- standardized questions
  - attitude measurement by. *See* attitude measurement reliability
  - development process for, 40-41
  - non-random errors caused by format of, 137-39
  - semistructured interview for development of. *See* semistructured interview
  - on subjective phenomena, 38-39
- state uncertainty, 37-39, 40, 41
  - recording in interviews, 53-57
  - spontaneous expressions of, 48-53
  - in standardized interviews, 57-60
- state variable changes, grade-of-membership model of, 359-60
- structural equation systems, 351-54. *See also* asymptotic robust inferences in mean and covariance structures
  - grade-of-membership model, 322, 355-58, 360-61, 375-77
  - structural equivalence, 3-4
    - analysis of social homogeneity by, 28-31
    - comparison to structural isomorphism, 13-16, 18-23
    - position as, 5-10
    - structural power analysis and, 25-27
  - structural isomorphism, 4, 13, 18-23
    - analysis of social homogeneity by, 29-31
    - position as, 10-17
    - structural power analysis and, 24-27
  - subjective expected utility (SEU) model of fertility motivation, 42-43, 61
  - subjective phenomena
    - reliability of measurement of, 111, 112
    - standardized questions on, 38-39, 61
  - survey instruments
    - continuous responses, 324
    - error variance of items, 119
    - standardized questions for. *See* standardized questions
  - survey interviews
    - attitude measurement in. *See* attitude measurement reliability
- tape recording of interviews, 60
- task uncertainty, 37-39, 40, 41
  - reduction through recording techniques, 53-57, 61
- Taylor series expansion, 155
- tetrachoric correlations, 104-105, 107, 108
- time dependence
  - as source of autocorrelation, 192
  - as source of overdispersion, 185-87
- time-series data, 180, 183, 193
- trait stability measurement. *See* stability measurement
- true-score theory, 101, 120
  - correlated errors model and, 132
  - reliability as true-score variance, 127*n*
- two-stage least squares (2SLS) models



- for spatial-effects model, 221-23, 230-32
  - asymptotic variance of, 233-36
  - comparison with Anselin's models, 236-38
  - conclusion, 244-46
  - empirical application/comparison of, 238-44
- two-way contingency tables
  - constrained latent budget analysis for. *See* constrained latent budget model
  - row and column variables in, 279-80
- unconstrained latent budget model, 281-83
  - comparison with latent class analysis, 288-99
  - example of, 283-87
  - graphical representations of, 289-93
  - identification of, 292-94
  - maximum likelihood estimation, 294-95
- unconstrained negative binomial specification, 191
- underdispersion, 192*n*
- unfolding techniques and reliability, 109-11
- unweighted least squares (ULS) analysis, 267
- variables
  - continuous, 324
  - endogenous. *See* endogenous variables
  - exogenous. *See* exogenous variables
  - global, 8
  - grade-of-membership model of
    - state variable changes, 359-60
    - latent, 253-55, 330-31
    - population-potential, 226-8
  - verbal-ability data, analysis of, 121, 135
  - verbal labeling, 92, 112-13
- Wald statistic, 155, 156
- world-system theory, 1